


NOTE:  
The proposed system meets the Affected  
as set forth in 11.2.2.4(f) of the provisions  
and set forth in 11.2.2.4(g) of the provisions  
of the Code with it.



NO.	DESCRIPTION	DATE	BY
1	...	...	...
2	...	...	...
3	...	...	...
4	...	...	...
5	...	...	...
6	...	...	...
7	...	...	...
8	...	...	...
9	...	...	...
10	...	...	...

NO.	DESCRIPTION	DATE	BY
1	...	...	...
2	...	...	...
3	...	...	...
4	...	...	...
5	...	...	...
6	...	...	...
7	...	...	...
8	...	...	...
9	...	...	...
10	...	...	...


NOT TO SCALE



This lot is subject to the Rowley Soils Bylaw, 7.1.1.


Zoning Matrix	
Building Offset to:	Proposed Distance
Street Line	44'
Side Line	24'
Rear Line	121'
Required Distance	25'
	15'

Reserve Area Breakout Calculation	
Existing Grade	72.20
ESHW	68.28
Vertical Separation	+5.0'
Bottom Excavation	73.28
6" of Stone	+3.0'
Invert of End of Pipe	73.78
Elevation Difference of	
Distribution Line (51x005)	+1.6'
Invert of Inlet of Pipe	71.94
Top of 1/8-1/2" Stone	+5.0'
Breakout Elevation	74.44
Finished Grade	75.20



PROFILE

Vertical Scale: 1" = 4'



Vertical Scale: 1" = 4'

Horizontal Scale: 1" = 20'